

Response to the  
American Medical Association (AMA) report,  
“Human and Environmental Effects of  
Light Emitting Diode **Community Lighting**”

Mark S. Rea, PhD  
Mariana G. Figueiro, PhD  
Lighting Research Center  
Rensselaer Polytechnic Institute  
Partner-Alliance Event  
March 15, 2017

# Thank you, Partners and Sponsors

current  
powered by GE

OSRAM

PHILIPS

Swedish Energy Agency

NEW YORK STATE OF OPPORTUNITY | NYSERDA

ASSIST (Alliance for Solid-State Illumination Systems and Technologies) Members

AcuityBrands  
Lighting

amerlux  
Passion. Power. Performance.

BAE SYSTEMS

bridgelux

current  
powered by GE

DOW CORNING

EATON  
Powering Business Worldwide

FEDERAL AQUARIUM SCIENCE CENTER

HUBBELL  
HUBBELL Lighting

LUMENS

LUMILEDS

NEW YORK STATE OF OPPORTUNITY | NYSEDA

PHILIPS

NOVEDA  
TECHNOLOGIES

OSRAM  
Opto Semiconductors

SEOL

Crystal IS

ASSIST Affiliates

FINELITE  
Better Lighting

Light and Health Alliance Members

AcuityBrands  
Lighting

CREE

current  
powered by GE

KETRA

Lighting Research Center

OSRAM

PHILIPS

USAI  
Lighting

TLA (Transportation Lighting Alliance) Members

Audi  
Vorsprung durch Technik

HELLA  
Always looking for the next step of innovation

OSRAM SYLVANIA

PHILIPS

Varroc  
EXCELLENCE

Lighting Energy Alliance Members

Efficiency Vermont

energize CONNECTICUT

nationalgrid

NLPIP (National Lighting Product Information Program) Members


energize CONNECTICUT

Lighting Research Center

Natural Resources Canada  
Ressources naturelles Canada


# Why do we light?

- ◆ Visual performance
  - › Assembly, reading, accounting
- ◆ Safety – crash avoidance
  - › Vehicle-to-vehicle – on-axis judgement
  - › Vehicle-to-pedestrian or bicycle – off-axis detection
- ◆ Security – sense of safety
  - › Scene brightness
- ◆ Quality of life
  - › Circadian entrainment




# Why do we light?

- ◆ Assembly, reading, accounting



# Why do we light?



Most crashes are vehicle-vehicle at conflict points (intersections)



Adapted from [connectedvehicle.challenge.gov](http://connectedvehicle.challenge.gov)



## Crash avoidance

Sponsor: National Academy of Sciences





# Analyzing on-axis visibility

- ◆ Apply relative visual performance (RVP) model
- ◆ Contrast and background luminance based upon  $V(\lambda)$




# Driving performance – on- and off-axis




# Analyzing off-axis visibility

- ◆ Apply unified system of photometry
- ◆ Adaptation level based upon  $V'(\lambda)$  and  $V_{10}(\lambda)$



$V'(\lambda)$

$V_{10}(\lambda)$



# Why do we light?

## ◆ University of Washington

Three campus parking lots

- > High pressure sodium
- > Metal halide
- > LED





To feel safe




Sponsor: Bonneville Power Administration

# Analyzing scene brightness judgments




Scene brightness ratings are proportional to safety ratings




# Why do we light?


- ◆ Improve quality of life
  - Senior facilities




## Better Sleep



## Less Depression



## Reduced Agitation






Sponsor: National Institute on Aging (R01AG034157)

Figueiro M, Plitnick B and Rea M. Research Note: A self-luminous light table for persons with Alzheimer's disease. *Light Res Technol*. 2015: 1477153515603881.

# Potential negative, collateral consequences

- ◆ Blindness from blue light hazard
- ◆ Glare
  - > Disability
  - > Discomfort
- ◆ Circadian disruption and melatonin suppression




\* Morgan, JIW et al. 2008. Light-induced retinal changes observed with high-resolution autofluorescence imaging of the retinal pigment epithelium. *Investigative Ophthalmology & Visual Science*, 49:8, 3715-3729


# Critical considerations before we start

“Everything should be made as simple as possible, but not simpler.”

*A. Einstein*




- ◆ Appropriate metrics, quantities and units
  - › *Not* “blue wavelengths” or CCT
- ◆ Use cases: exposure/dose (amount and duration)



# Blue light hazard

- ◆ What is blue light hazard?
  - Temporary or permanent loss of visual photoreceptor function following exposure to short-wavelength radiation imaged on the retina



$V(\lambda)$  = Photopic

$B(\lambda)$  = Blue light hazard

$U(\lambda)$  = Universal luminous efficiency function

# Pigment epithelium





Figure 3. Summary diagram of the major functions of the RPE.

# Blue light hazard

Depends on short-term (hours) cumulative retinal irradiance of short wavelength radiation (~400 to ~500 nm)

Retinal irradiance depends on:


- Source size
  - Output power
  - Optics (if any)
- } Radiance

Not irradiance at the eye!

$$E_{\text{cornea } 1} = E_{\text{cornea } 2} = E_{\text{cornea } 3}$$

$$E_{\text{retina } 1} < E_{\text{retina } 3} < E_{\text{retina } 2}$$

$$L_{b1} < L_{b2 \text{ eff.}} < L_{b2}$$



# Blue light hazard comparison


Source	Actual Luminance (cd/m <sup>2</sup> )	Effective Luminance (cd/m <sup>2</sup> )	Blue Hazard Weighted Radiance, L <sub>b</sub> (W m <sup>-2</sup> sr <sup>-1</sup> )	Permissible Exposure Time per CIE/IEC 62471
Noon sun	1,600,000,000	1,600,000,000	1,200,000	~ 1 s
Blue sky	4,000	4,000	6.2	Indefinite/44 hrs*
Blue LED light box (600 lux at eye)	9,000	9,000	60	Indefinite/4.6 hrs*
Blue LED 500mW, @ 0.5 m	5,100,000	170,000	2620	6.4 min†
Royal Blue LED 3W, @ 0.5 m	2,760,000	1,040,000	15,700	64 s
Fluorescent lamp (T8 RE 4100 K)	10,000	10,000	5.6	Indefinite/50 hrs*
Incandescent lamp filament @ 0.5 m	12,000,000	2,500,000	858	20 min†
White LED (3000 K) @ 0.5 m	17,000,000	1,000,000	388	43 min†
White LED (4000 K) @ 0.5 m	17,000,000	1,000,000	510	33 min†
White LED (6500 K) @ 0.5 m	17,000,000	1,000,000	858	20 min†

\*Permissible exposure times (PET) are not defined for weighted radiance < 100 W m<sup>-2</sup> sr<sup>-1</sup>

†Permissible exposure times are not defined for small sources (<0.63°) for weighted irradiance < 1 W m<sup>-2</sup>



PET = 278 hours/L<sub>b</sub> for t < 2.78 hours or PET = 100 seconds/E<sub>b</sub> for t < 100 seconds

# Use cases



# Aphakic lens

- ◆ After cataract surgery, prosthetic (aphakic) lens replacement



# Blue light hazard comparison

Source	Actual Luminance (cd/m <sup>2</sup> )	Effective Luminance (cd/m <sup>2</sup> )	Blue Hazard Weighted Radiance, L <sub>b</sub> (W m <sup>-2</sup> sr <sup>-1</sup> )	Permissible Exposure Time per CIE/IEC 62471 (Aphakic Eye Hazard per CIE/IEC 62471)
Noon sun	1,600,000,000	1,600,000,000	1,200,000	~ 1 s (~ 0.4 s)
Blue sky	4,000	4,000	6.2	Indefinite/44 hrs* (Indefinite/8 hrs*)
Blue LED light box (600 lux at eye)	9,000	9,000	60	Indefinite/4.6 hrs* (Indefinite/4.6 hrs*)
Blue LED 500mW, @ 0.5 m	5,100,000	170,000	2620	6.4 min (6.2 min) †
Royal Blue LED 3W, @ 0.5 m	2,760,000	1,040,000	15,700	64 s (62 s)
Fluorescent lamp (T8 RE 4100 K)	10,000	10,000	5.6	Indefinite/50 hrs* (Indefinite/33 hrs*)
Incandescent lamp filament @ 0.5 m	12,000,000	2,500,000	858	20 min (10 min) †
White LED (3000 K) @ 0.5 m	17,000,000	1,000,000	388	43 min (42 min) †
White LED (4000 K) @ 0.5 m	17,000,000	1,000,000	510	33 min (33 min) †
White LED (6500 K) @ 0.5 m	17,000,000	1,000,000	858	20 min (20 min) †


\*Permissible exposure times (PET) are not defined for weighted radiance < 100 W m<sup>-2</sup> sr<sup>-1</sup>

†Permissible exposure times are not defined for small sources (<0.63°) for weighted irradiance < 1 W m<sup>-2</sup>

PET = 278 hours/L<sub>b</sub> for t < 2.78 hours or PET = 100 seconds/E<sub>b</sub> for t < 100 seconds

# Blue light hazard (summary)

Spectrum matters ...but it's not the biggest factor



Optics matters: Block or diffuse the source; eliminate or reduce *radiance*

Use cases matter: Most people exhibit photophobia

Special populations: newborns, aphakic lens replacement, actors

# Glare

- ◆ Disability glare

- Reduction in visibility caused by luminous veil due to scattered light in the eye
- Well-understood quantitatively for decades (Fry 1954)



- ◆ Discomfort glare

- Annoying or painful sensation when exposed to a bright light in the field of view
- Understood more recently (Bullough et al. 2003, Bullough 2009, Bullough and Sweater Hickcox 2012)




# Glare

100-watt incandescent lamps




# Disability glare

- ◆ Disability glare is primarily a function of photopic illuminance at the eyes and the angular distance between the source and the object of interest (Bullough et al. 2002, 2003)
- ◆ Different spectra do not differentially affect on-axis visual performance, acuity, contrast threshold, or reaction time



# Discomfort glare




- ◆ Short wavelength increased discomfort glare for the same photopic illuminance at the eyes



9: Just noticeable  
8:  
7: Satisfactory  
6:  
5: Just acceptable  
4:  
3: Disturbing  
2:  
1: Unbearable

# Spectral sensitivity of discomfort glare (DG)

- A combination of  $V_{10}(\lambda)$  and short-wavelength cone sensitivity  $S(\lambda)$  was the best rectifying variable for discomfort ratings [ $V_{DG}(\lambda)$ ]



$$V_{DG}(\lambda) = V_{10}(\lambda) + kS(\lambda)$$

$$k = 0.19$$

# Glare (summary)

Disability Glare		Discomfort Glare
✓✓✓	Photopic illuminance at the eye	✓✓✓
✓✓	Angle between glare source and line of sight	✓✓
NA	Luminance of the source ( $> 0.3^\circ$ )	✓
NA	SPD	✓
NA	Psychological	✓

✓✓✓ Most important

✓✓ Very important

✓ Important

NA Not applicable

# Part 2



Mariana G. Figueiro, PhD

# Circadian system


- ◆ Circadian rhythms are biological processes that display an endogenous (and entrainable) rhythm close to 24 h

*circa* = approximately; *dies* = day



- ◆ Circadian rhythms are generated and regulated by a biological clock in the brain
  - In humans, circadian rhythms free run with a period slightly greater than 24 h




# Light on the retinae is the primary synchronizer of circadian rhythms to local position on Earth



The natural, 24-hour, light-dark cycle



Adapted from National Library of Medicine image, 2007 (public domain)



...also the major disruptor

# Implications of circadian disruption

## ◆ Circadian disruption has been associated with:

### > Poor sleep, poor performance and high stress

Eismann, E. A., Lush, E., & Sephton, S. E. (2010). Circadian effects in cancer-relevant psychoneuroendocrine and immune pathways. *Psychoneuroendocrinology*, 35(7), 963-976.

Gumenyuk, V., Howard, R., Roth, T., Korzyukov, O., Drake, C.L. (2014) Sleep loss, circadian mismatch, and abnormalities in reorienting of attention in night workers with shift work disorder. *Sleep*. March 1; 37(3): 545-556.

### > Increased anxiety and depression

Du-Quiton, J., Wood, P. A., Burch, J. B., Grutsch, J. F., Gupta, D., Tyer, K., . . . Reynolds, J. L. (2010). Actigraphic assessment of daily sleep-activity pattern abnormalities reflects self-assessed depression and anxiety in outpatients with advanced non-small cell lung cancer. *Psycho-Oncology*, 19(2), 180-189.

### > Increased smoking

Kageyama, T., Kobayashi, T., Nishikido, N., Oga, J., & Kawashima, M. (2005). Associations of sleep problems and recent life events with smoking behaviors among female staff nurses in Japanese hospitals. *Industrial Health*, 43(1), 133-141.

### > Cardiovascular disease

Young, M. E., & Bray, M. S. (2007). Potential role for peripheral circadian clock dyssynchrony in the pathogenesis of cardiovascular dysfunction. *Sleep Medicine*, 8(6), 656-667.

Maemura, K., Takeda, N., & Nagai, R. (2007). Circadian rhythms in the CNS and peripheral clock disorders: role of the biological clock in cardiovascular diseases. *Journal of Pharmacological Sciences*, 103(2), 134-138.

### > Type 2 diabetes

Kreier, F., Kalsbeek, A., Sauerwein, H. P., Fliers, E., Romijn, J. A., & Buijs, R. M. (2007). "Diabetes of the elderly" and type 2 diabetes in younger patients: Possible role of the biological clock. *Experimental Gerontology*, 42(1), 22-27.



### > Higher incidence of breast cancer

Schernhammer, E. S., Laden, F., Speizer, F. E., Willett, W. C., Hunter, D. J., Kawachi, I., & Colditz, G. A. (2001). Rotating night shifts and risk of breast cancer in women participating in the Nurses' Health Study. *Journal of the National Cancer Institute*, 93(20), 1563-1568.

Hansen, J. (2006). Risk of breast cancer after night-and shift work: current evidence and ongoing studies in Denmark. *Cancer Causes & Control*, 17(4), 531-537.

# Light can also exert acute effects on humans

- ◆ Melatonin is a hormone produced at night and in darkness
  - Timing messenger for the body
  - Shown to have oncostatic effect in animal studies
- ◆ Light can suppress nocturnal melatonin production or phase shift the evening timing of melatonin onset
  - Short wavelength light (peak close to 460 nm) is maximally effective at suppressing melatonin



# Light at night (LAN) and health

## ◆ “Melatonin Hypothesis”

- Suppression of melatonin by LAN and electromagnetic fields (EMFs) was hypothesized to increase production of estrogens in the ovaries, which in turn would stimulate the turnover of breast epithelial stem cells, thereby increasing the likelihood of cancer


Stevens R. G. (1987). Electric power use and breast cancer: A hypothesis. *American Journal of Epidemiology*, 125, 556-561.

## ◆ “Circadian Disruption” Hypothesis

- Disruption of the circadian system by LAN has been associated with
  - Breast cancer risk
  - Diabetes and obesity
  - Cardiovascular disease

# Circadian phototransduction

- ◆ Intrinsically photosensitive retinal ganglion cells – ipRGCs (Berson et al., 2002)
  - > Located in the ganglion cell layer
  - > Peak spectral sensitivity at about 480-484 nm
    - Melanopsin is believed to be the photopigment in the ipRGCs
  - > Receives and sends “processed information,” including spectral opponency formed at bipolar cells, to the biological clock



Berson, D., Dunn, F., Takao, M. (2002). Phototransduction by retinal ganglion cells that set the circadian clock. *Science*, 295, 1070-1073.c

# All 5 photoreceptors participate in circadian phototransduction

Published in final edited form as:

*Nature*. 2003 July 3; 424(6944): 76–81. doi:10.1038/nature01761.

## Melanopsin and rod–cone photoreceptive systems account for all major accessory visual functions in mice

S. Hattar<sup>\*</sup>, R. J. Lucas<sup>†</sup>, N. Mrosovsky<sup>‡</sup>, S. Thompson<sup>†</sup>, R. H. Douglas<sup>§</sup>, M. W. Hankins<sup>†</sup>, J. Lem<sup>||</sup>, M. Biel<sup>||</sup>, F. Hofmann<sup>#</sup>, R. G. Foster<sup>†</sup>, and K.-W. Yau<sup>\*</sup>


<sup>\*</sup>Howard Hughes Medical Institute and Department of Neuroscience, Johns Hopkins University School of Medicine, Baltimore, Maryland 21205, USA

But, ipRGCs are needed to transduce the signals from rods and cones, but melanopsin knockout mice can still entrain to a light pulse


## Melanopsin cells are the principal conduits for rod/cone input to non-image forming vision

Ali D. Güler<sup>1,\*</sup>, Jennifer L. Ecker<sup>1,\*</sup>, Gurprit S. Lall<sup>2,\*</sup>, Shafiqul Haq<sup>3</sup>, Cara M. Altimus<sup>1</sup>, Hsi-Wen Liao<sup>3</sup>, Alun R. Barnard<sup>2</sup>, Hugh Cahill<sup>3</sup>, Tudor C. Badea<sup>4</sup>, Haiqing Zhao<sup>1</sup>, Mark W. Hankins<sup>5</sup>, David M. Berson<sup>6</sup>, Robert J. Lucas<sup>2,†</sup>, King-Wai Yau<sup>3</sup>, and Samer Hattar<sup>1,†</sup>

<sup>1</sup> Department of Biology, Johns Hopkins University, Baltimore, MD 21218, USA




# All 5 photoreceptors are needed for circadian phototransduction



But how are they combined to respond to light for the circadian system?

# Model of circadian phototransduction

- ◆ Constrained by known photopigments and neuroanatomy and neurophysiology of the human retina
  - > Includes ipRGCs and classical photoreceptors
  - > Includes subadditivity resulting from spectral opponent input to the ipRGC from b-y color channel (formed at the bipolar level)



Rea et al., 2005

# Model of circadian phototransduction

$$CL_A = \begin{cases} 1548 \left[ \int Mc_\lambda E_\lambda d\lambda + \left( a_{b-y} \left( \int \frac{S_\lambda}{mp_\lambda} E_\lambda d\lambda - k \int \frac{V_\lambda}{mp_\lambda} E_\lambda d\lambda \right) - a_{rod} \left( 1 - e^{-\frac{\int V'_\lambda E_\lambda d\lambda}{RodSat}} \right) \right) \right] & \text{if } \int \frac{S_\lambda}{mp_\lambda} E_\lambda d\lambda - k \int \frac{V_\lambda}{mp_\lambda} E_\lambda d\lambda > 0 \\ 1548 \int Mc_\lambda E_\lambda d\lambda & \text{if } \int \frac{S_\lambda}{mp_\lambda} E_\lambda d\lambda - k \int \frac{V_\lambda}{mp_\lambda} E_\lambda d\lambda \leq 0 \end{cases}$$

$CL_A$ : Circadian light. The constant, 1548, sets the normalization of  $CL_A$  so that 2856 K blackbody radiation at 1000 lux has a  $CL_A$  value of 1000.

$E_\lambda$ : light source spectral irradiance distribution

$Mc_\lambda$ : melanopsin (corrected for crystalline lens transmittance)

$S_\lambda$ : S-cone fundamental

$mp_\lambda$ : macular pigment transmittance

$V_\lambda$ : Photopic luminous efficiency function

$V'_\lambda$ : Scotopic luminous efficiency function

RodSat: Half-saturation constant for bleaching rods = 6.5 W/m<sup>2</sup>

$k = 0.2616$

$a_{b-y} = 0.700$

$a_{rod} = 3.300$

# Circadian stimulus (CS)

- ◆ Transfer function between the light stimulus ( $CL_A$ ) and circadian response (nocturnal melatonin suppression)


$$CS = 0.7 - \frac{0.7}{1 + \left( \frac{CL_A}{355.7} \right)^{1.1026}}$$

Notes


1. Pupil diameter = 2.3 mm
2. Three methods of calculating suppression

# Circadian light ( $CL_A$ ) and circadian stimulus (CS)

## Spectral sensitivity



## Absolute sensitivity




Rea, M. S., Figueiro, M. G., Bullough, J. D., & Bierman, A. (2005). A model of phototransduction by the human circadian system. *Brain Research Reviews*, 50(2), 213-228.

Rea, M. S., Figueiro, M. G., Bierman, A., & Hamner, R. (2012). Modelling the spectral sensitivity of the human circadian system. *Lighting Research and Technology*, 44(4), 386-396.



# Validation with practical sources

Rea MS, Figueiro MG (2013) A Working Threshold for Acute Nocturnal Melatonin Suppression from "White" Light Sources used in Architectural Applications. *J Carcinogene Mutagene* 4: 150 doi: 10.4172/2157-2518.1000150

"warm" white light source  
CCT = 2670 K



"cool" white light source  
CCT = 6400 K



# Circadian stimulus (CS): Metric for quantifying effectiveness of light sources for activating the circadian system

**Select Source SPD**

CIE D65

(Click cell above for pull-down menu)

**Illuminance (lux)**

**1000**


(Enter illuminance in cell above)

**Circadian Light (CL<sub>A</sub>)**

**1696** Circadian lux

**Circadian Stimulus (CS)**


**0.594**



**User SPD**

Wavelength (nm)	Value
3.80E+02	0.09795
3.82E+02	0.10227
3.84E+02	0.10672
3.86E+02	0.11113
3.88E+02	0.11601
3.90E+02	0.12085
3.92E+02	0.12583
3.94E+02	0.13094
3.96E+02	0.13618
3.98E+02	0.14156
4.00E+02	0.14708
4.02E+02	0.15274
4.04E+02	0.15853
4.06E+02	0.16446
4.08E+02	0.17054
4.16E+02	0.19624
4.18E+02	0.20303
4.20E+02	0.20995
4.22E+02	0.21702
4.24E+02	0.22423
4.26E+02	0.23158
4.28E+02	0.23907
4.30E+02	0.24671


**Relative SPD**



<http://www.lrc.rpi.edu/programs/lightHealth/index.asp>

Sponsor: Light and Health Alliance  
 (Acuity Brands, Cree, GE Lighting, Ketra Inc., OSRAM Sylvania, Philips Lighting, Sharp, USAI Lighting)

# Correlated color temperature (CCT) and melatonin suppression




Rea and Figueiro. 2016. Light as a circadian stimulus for architectural lighting. *Lighting Research & Technology*. Doi 10.1177/1477153516682368

# Circadian disruption and melatonin suppression

## Using circadian stimulus


### Spectral power distribution



### LED


	3000 K	4000 K
lux	21.3	19.2
CL <sub>A</sub>	21.9	10.8

4000 K *less effective* stimulus than 3000 K




### Spectral Sensitivity




# CCT and melatonin suppression




# CCT and melatonin suppression




CCT = 3000 K



CCT = 4000 K




# IES recommended levels: Amount only



Rea et al. 2010 (rev. 2012). The potential of outdoor lighting for stimulating the human circadian system. *Alliance for Solid-State Illumination Systems and Technologies (ASSIST)*. Troy, NY.


# Circadian disruption and melatonin suppression

## Using circadian stimulus



# Circadian disruption and melatonin suppression

## Using circadian stimulus





# CCT and melatonin suppression

## Indoor environments

Horizontal Illuminance (lux)	Manufacturer					
	A	D	E	F	G	H
300	0.23	0.26	0.24	0.24	0.23	0.12
325	0.25	0.27	0.25	0.25	0.25	0.13
350	0.26	0.29	0.26	0.27	0.26	0.14
375	0.27	0.30	0.28	0.28	0.27	0.14
400	0.29	0.31	0.29	0.29	0.28	0.15
425	0.30	0.33	0.30	0.30	0.30	0.16
450	0.31	0.34	0.31	0.31	0.31	0.17
475	0.32	0.35	0.32	0.32	0.32	0.18
500	0.33	0.36	0.33	0.33	0.33	0.19

Horizontal Illuminance (lux)	Manufacturer					
	C	D	E	F	G	H
300	0.12	0.13	0.12	0.15	0.13	0.15
325	0.13	0.14	0.13	0.16	0.14	0.17
350	0.14	0.15	0.14	0.18	0.15	0.18
375	0.15	0.16	0.15	0.19	0.16	0.19
400	0.16	0.17	0.16	0.20	0.17	0.20
425	0.17	0.17	0.17	0.21	0.17	0.21
450	0.17	0.18	0.18	0.22	0.18	0.22
475	0.18	0.19	0.19	0.22	0.19	0.23
500	0.19	0.20	0.20	0.23	0.20	0.23



# Summary

- ◆ Bottom lines for health impacts from light
  - Must consider all physical attributes - amount, duration, timing and spectrum; not just spectrum
  - Get the metrics and units right!
    - CCT is useless and often misleading for characterizing the light stimulus
    - Photopic illuminance has very limited utility for characterizing how light stimulates the retina
  - **When assessing risk, must consider the “use cases”**

Thank you.